

The new ProfiLine dishwashers Faster, more powerful, more convenient



ProfiLine:
Fast cycle
built-in dishwashers

The new ProfiLine dishwashers

Built for the rough and tumble of everyday life

Fast, powerful, convenient – all attributes of the perfect dishwasher. And all properties combined in the new ProfiLine dishwashers from Miele Professional. Short cycle times, high cleaning performance and ease of use. In short, perfect no-fuss dishwashing.



ProfiLine:
Fast cycle
built-in dishwasher

Rises to meet all challenges

Breakfast, lunch breaks, meetings, appointments with clients – in modern business life, there is no shortage of reasons for serving tea or coffee, leaving crockery to pile up in the kitchen.

The ProfiLine dishwashers from Miele Professional are the response to such challenges in:

- Offices
- Legal practices
- Agencies
- Showrooms
- Clubhouses
- Cookery studios

But even private households having to cope with large quantities of crockery and requiring short programme cycles are bound to profit from the new ProfiLine dishwashers.

The right dishwasher for each situation

The range of models offered by Miele's new ProfiLine dishwashers comprises the following versions:

- Freestanding unit: PG 8080
- Built-under unit: PG 8080 U
- Integrated unit: PG 8081 i
- Integrated version with XXL cabinet: PG 8082 SCi
- Fully integrated version with XXL cabinet: PG 8083 SCVi

Your benefits

Professional

- Ideal for dishwashing in kitchens in office blocks, clubhouses and private households
- Flexible installation

Faster

- Shortest programme cycle lasting only 18 mins. for 32 A version when connected to hot water

Powerful

- For veritable mountains of crockery, frequent dishwashing and very fast cleaning

Greater convenience

- Door opens automatically at end of programme
- Convenient refilling of salt container
- Connection for liquid detergent dispenser

Greater efficiency

- Consumption has been reduced on average by 10% compared with the previous series.
- Label programme Energy efficiency category A+



25 years of the cutlery tray The success story continues!

The invention of the cutlery tray in 1987 revolutionised cutlery care: Never before had cutlery been cleaned as hygienically in a dishwasher. As all items of cutlery are kept separate, they are both washed and dried perfectly – and are not scratched or damaged in the process. Removal of clean cutlery is both convenient and hygienic. And there is more room for plates in the lower basket.

Exclusive to
MIELE

3D cutlery tray: Taking cutlery care onto the next level.

Miele's new 3D cutlery tray can be adjusted in all three directions and adapts perfectly to various load arrangements. This allows awkward items such as whisks and soup ladles to be given their rightful place and be washed gently. Adjusting the side sections of the cutlery tray allows tall stemware to be held securely in the upper basket.



PremiumComfort basket



PremiumComfort basket

- Height-adjustable upper basket
- Cutlery basket on models PG 8080, PG 8080 U and PG 8081 i
- 3D cutlery tray on models PG 8082 SCi, PG 8083 SCVi
- Stainless-steel basket handles on models PG 8081 i, PG 8082 SCi and PG 8083 SCVi
- Hinged row of spikes in upper basket
- Jumbo cup rack in upper basket (width adjustable)
- MultiComfort area in lower basket
- 2 rows of spikes in lower basket (right and left, hinged)
- 2 height-adjustable glass holders in lower basket (on sides at rear)

Perfect handling

Thanks to their redesigned runners and new wheels, ProfiLine baskets can be pulled out with ease by taking hold of the new, prominent basket handles.

The lower basket

Even large plates can be conveniently positioned in three rows in the lower basket. The removable MultiComfort rack accommodates even larger items such as cutting boards, platters or even cooker hood filters. Hinged rows of spikes create a flat basket base for large pots and pans when needed. Glass racks on both sides offer tall stemware a secure hold. The bottle holder can be folded away when not in use.

The upper basket

The height-adjustable upper basket is also highly flexible, thanks to hinged rows of spikes, a jumbo-size cup rack and height-adjustable glassware rails – making way for 13 to 14 place settings.



The cutlery basket

The cutlery basket boasts a new, contemporary design. It can be positioned where suitable over the front row of spikes in the lower basket. On dishwashers with a cutlery tray, a cutlery basket can be used to create space for even more cutlery.



The new ProfiLine dishwashers offer a multitude of features which make dishwashing refreshingly convenient and ensure top-class results. Many features are in fact unique to Miele dishwashers and have been patented:

- Miele's unique cutlery tray ¹⁾
- GlassCare technology ²⁾
- A salt container ³⁾ in the dishwasher door
- AutoOpen dishwasher door ⁴⁾



1) Patent DE 10 2008 062 761 B3
2) European patent EP 1 080 681
3) European patent EP 1 457 153 B
4) Patent DE 10 2007 008 950.5



Best care for valuable glassware
Soft water enhances cleaning performance in a dishwasher but is aggressive to glassware. Consequently, all Miele dishwashers feature Perfect GlassCare ²⁾ technology. This feature ensures that the water used has the correct mineral content. This helps protect glassware and keeps stemware looking as good as new.



Superb hygiene
In office kitchens available to staff and visitors, hygiene must be high on the agenda. The new ProfiLine dishwashers operating on the fresh water principle achieve extremely hygienic results thanks to their high main wash and rinse temperatures, particularly in the 'Hygiene' programme.



Perfect illumination for easier loading
4 powerful LEDs immerse the dishwasher interior in brilliant light. The area in front of the dishwasher is also well lit, significantly improving loading and unloading. Even baskets pulled out for loading and unloading are brightly lit – a particular benefit in a dimly lit kitchen.



Salt easy to refill
The patented salt container ³⁾ is conveniently located in the dishwasher door. Refilling is simple and straightforward and done with the door in the half-open position.



ComfortClose – Miele's premium door feature
Benefit from the ease with which Miele's dishwasher door opens and closes. Convenient: The motorised door remains stationary in any position and closes as if of its own accord when pushed slightly.



Efficient dishwashing
When used several times a day, the short cycles and low water and electricity consumption offered by ProfiLine dishwashers are important aspects. On the new ProfiLine dishwashers, consumption has been reduced on average by 10% compared with the previous generation.

In the 'ECO' programme, ProfiLine dishwashers* are even 30% more efficient in terms of water and electricity use than their predecessors and even achieve an A+ for energy efficiency.



Automatic dispensing of liquid detergent
Dispensing liquid detergent via an external dispenser is both convenient and precise.



Patented ⁴⁾ AutoOpen function: For perfectly dry crockery
Selecting enhanced drying automatically opens the dishwasher door at the end of a programme. Glassware and crockery is perfectly dried and cools down faster.



It is the small details that makes dishwashing with ProfiLine so effective, convenient and safe. Since 2006, the European Machinery Guideline has played a significant role in guaranteeing the safety of machines put to commercial use. The aim is to take the greater risk potential of commercial machines into account and in particular to ensure that persons operating machines are properly protected during their daily work. All Miele Professional machines comply with this guideline in full.



Proof of high-level customer satisfaction is furnished by a recent survey conducted in 2011 by the independent 'Mercuri International' institute: 97% of customer stated that they would buy their machines again from Miele Professional!



CleanSteel: Fewer fingerprints – greater convenience
Miele stainless-steel fascia panels feature a special CleanSteel finish. This prevents visible fingerprints. CleanSteel is also easy to clean - without the need for special detergents.



Child-safety switch, control indicators: Simply safe!
The child-safety lock integrated into the handle recess protects against tampering and misuse, for example by small children. Highly visible indicators provide information on when salt and rinse aid need replenishing or when a programme has ended.



WaterProof system: Guaranteed safety
To protect against flooding, all Miele dishwashers feature the Miele Waterproof System. If properly installed, Miele assumes a life-long guarantee for the Waterproof System.



Operation – consistently simple
Miele ProfiLine dishwashers spoil users with a high-end user interface: Convenient push-buttons, a text display with prompts and an uncluttered, easy-to-read fascia panel. All Miele dishwashers are simple and intuitive to use, reading across from one side to the other.

Fascia design
Depending on the model, the dishwasher fascia is either straight or inclined. All that is visible on fully integrated units once the door is closed is the cabinet front or a sleek stainless-steel panel.

Six buttons for nine programmes
The range of programmes is as broad as the controls are simple: Special programmes for glassware and plastics, a cold rinse, energy efficiency, thoroughness and a very fast wash.

The controls
The display represents the central control element, showing all programmes and additional functions in the user's language and prompting the user into action, as required, for example to replenish salt or detergent. Programmes are easy to select using the programme selector buttons. An LED indicator highlights the programme selected.

Programmes selection:
A total of nine programmes are available. The 'Short', 'Medium', 'Intensive', 'Glassware' and 'Hygiene' programmes can be selected straight from the display. At the push of a single button, further programmes ('Plastics', 'Beer glasses', 'Cold rinse' and 'ECO') can be selected.

The benefits at a glance

- Simple controls
- Convenient programme selection
- Programme data and countdown time indicated
- 9 programmes to suit individual applications
- Delay start, up to 24 h in advance

*) Equates to 7500 programme cycles


Illustration shows PG 8082 SCI

Overview of products and features

Model/Sales designation	PG 8080	PG 8080 U
Capacity		
Max. cycles per day	5	5
'Short' cycle duration in mins.*	18	18
Design		
Freestanding unit with laminate lid	•	–
Built-under unit without laminate lid, plinth return [mm]	–	• 30-95
Integrated/fully integrated, plinth return [mm]	–	–
Fascia panels		
Brilliant white	•	•
CleanSteel	–	–
Design / Convenience		
Fascia design and user interface	Straight with pushbuttons	Straight with pushbuttons
Countdown indicator, 24 h delay start	•/•	•/•
Door salt container	•	•
BrilliantLight	–	–
ComfortClose	•	•
Liquid dispensing using G 60 SEMI module possible	• Optional extra	• Optional extra
Sound emissions dB(A) re 1 pW	49	49
Gentle treatment of crockery and glassware		
Perfect GlassCare	•	•
Dishwashing programmes		
No. of dishwashing programmes	9	9
Intensive cleaning	Intensive/Hygiene 75°C	Intensive/Hygiene 75°C
Fast, simple cleaning	Short/Medium 65°C	Short/Medium 65°C
Gentle cleaning of glassware	Glasses/Beer glasses 50°C	Glasses/Beer glasses 50°C
Eco programme	42°C	42°C
Programmes for special needs	Cold/pre-wash, Plastics	Cold/pre-wash, Plastics
Drying		
Recirculation Turbothermic drying	•	•
AutoOpen drying	•	•
Additional drying	•	•
Basket design		
Cutlery	Cutlery basket	Cutlery basket
No. of place settings	13	13
Safety		
WaterProof system	•	•
Controls	Display	Display
Fully compliant with Machinery Guideline (2006/42/EG)	•	•
Electrical connection		
1N AC 220-240 V 50 Hz with cable and plug	•	•
Heater rating in kW / Fuse rating	2.1 / 1 x 13 A	2.1 / 1 x 13 A
Total rated load in kW	2.3	2.3
Heater rating in kW / Fuse rating	6.5 / 1 x 32 A	6.5 / 1 x 32 A
Total rated load in kW	6.7	6.7
Water connection		
Cold or hot water (15°C-60°C)	•	•
Dimensions/Weight		
External dimensions H/W/D [mm]	845/598/600	805/598/600
Weight, net [kg]	69	69
* When connected to hot water supply and 230V 32A		



Model/Sales designation	PG 8081 i	PG 8082 SCi XXL	PG 8083 SCVi XXL
Capacity			
Max. cycles per day	5	5	5
'Short' cycle duration in mins.*	18	19	19
Design			
Freestanding unit with laminate lid	–	–	–
Built-under unit without laminate lid, plinth return [mm]	–	–	–
Integrated/fully integrated, plinth return [mm]	• 30-95/-	• 30-95/-	–/ 30-95
Fascia panels			
Brilliant white	–	–	–
CleanSteel	•	•	•
Design / Convenience			
Fascia design and user interface	Inclined with pushbuttons	Inclined with pushbuttons	Fully integrated with pushbuttons
Countdown indicator, 24 h delay start	•/•	•/•	•/•
Door salt container	•	•	•
BrilliantLight	•	•	•
ComfortClose	•	•	•
Liquid dispensing using G 60 SEMI module possible	• Optional extra	• Optional extra	• Optional extra
Sound emissions dB(A) re 1 pW	49	49	49
Efficiency			
Energy efficiency/Cleaning performance/Drying efficiency	A+/A/A	A+/A/A	A+/A/A
Consumption data with ThermoSave® (in ECO programme)	0.50 kWh	0.50 kWh	0.50 kWh
Consumption data (in ECO programme)	1.00 kWh/18 l	1.20 kWh/18 l	1.20 kWh/18 l
Gentle treatment of crockery and glassware			
Perfect GlassCare	•	•	•
Dishwashing programmes			
No. of dishwashing programmes	9	9	9
Intensive cleaning	Intensive/Hygiene 75°C	Intensive/Hygiene 75°C	Intensive/Hygiene 75°C
Fast, simple cleaning	Short/Medium 65°C	Short/Medium 65°C	Short/Medium 65°C
Gentle cleaning of glassware	Glasses/Beer glasses 50°C	Glasses/Beer glasses 50°C	Glasses/Beer glasses 50°C
Eco programme	42°C label programme	42°C label programme	42°C label programme
Programmes for special needs	Cold/pre-wash, Plastics	Cold/pre-wash, Plastics	Cold/pre-wash, Plastics
Drying			
Recirculation Turbothermic drying	•	•	•
AutoOpen drying	•	•	•
Additional drying	•	•	•
Basket design			
Cutlery	Cutlery basket	3D cutlery tray	3D cutlery tray
No. of place settings	13	14	14
Safety			
WaterProof system	•	•	•
Controls	Display	Display	Optical and acoustic
Fully compliant with Machinery Guideline (2006/42/EG)	•	•	•
Electrical connection			
1N AC 220-240 V 50 Hz with cable and plug	•	•	•
Heater rating in kW / Fuse rating	6.5 / 1 x 32 A	6.5 / 1 x 32 A	6.5 / 1 x 32 A
Total rated load in kW	6.7	6.7	6.7
Water connection			
Cold or hot water (15°C-60°C)	•	•	•
Dimensions/Weight			
External dimensions H/W/D [mm]	805/598/570	845/598/570	845/598/570
Weight, net [kg]	59	61	64
* When connected to hot water supply and 230V 32A			



Miele Company Ltd
Fairacres
Marcham Road, Abingdon
Oxfordshire
OX14 1TW
Tel 0845 330 3618

www.miele.co.uk
info@miele.co.uk

Miele worldwide:

AUSTRALIA
Miele Australia Pty. Ltd.
1 Gilbert Park Drive
Knoxfield, VIC, 3180
Tel. +613 97 64 71 30
Telefax +613 97 64 71 49

AUSTRIA
Miele Gesellschaft mbH.
Mielestraße 1
5071 Wals/Salzburg
Tel. +43 50 800-81 481
Telefax +43 50 800-81 429

BELGIUM
N.V. Miele S.A.
z.5 Mollem 480
Hof te Bollebeeklaan 9
1730 Mollem
Tel. +32 2451 14 11
Telefax +32 2451 14 14

CANADA
Miele Limited
161 Four Valley Drive
Vaughan, ON L4K 4V8
Tel. +1 905 660-9936
Telefax +1 904 532-2290

CHILE
Miele Ltda.
Nueva Costanera 4055
Vitacura
Santiago de Chile
Tel. +56 2 95700-00
Telefax +56 2 95700-79

CHINA
Miele China Beijing Office
3F South Tower, Kerry Center
No 1 Guang Hua Road
ChaoYang District
100020 Beijing PRC
Tel. +86 10 5783 2688
Telefax +86 10 5783 2600

Miele (Shanghai) Trading Ltd.
1-3 Floor, No. 82 Shi Men Yi Road,
Jing An District
200040 Shanghai PRC
Tel. +86 21 6135 3559
Telefax +86 21 6135 3993

CROATIA
Miele trgovina i servis d.o.o.
Buzinski prilaz 32
10000 Zagreb
Tel. +385/1/66 89 000
Telefax +385/1/66 89 090

CZECH REPUBLIC
Miele spol. s.r.o.
Holandská 4
63900 Brno
Tel. +420 5 4 35 53-1 11
Telefax +420 5 4 35 53-1 19

DENMARK
Miele A/S
2600 Glostrup, Erhvervsvej 2
Tel. +45 43 27 11 00
Tel. Salg/Professional
+45 43 27 15 00
Tel. Jylland +45 97 12 70 66
Telefax hovednr. +45 43 27 11 09
Telefax Salg/Professional
+45 43 27 15 09

ESTONIA
Miele OÜ
Tornimäe 5
10145 Tallinn
Tel. +372 6 55 68 11

FINLAND
Miele Oy
Porttikaari 6
01200 Vantaa
Tel. +3589 87 59 70
Telefax +3589 87 59 72 99

FRANCE
Miele S.A.S.
9 avenue Albert Einstein
93151-Le Blanc-Mesnil (Paris)
Tel. +33(0)1/49 39 34 44
Telefax +33(0)1/49 39 44 38

GERMANY
Miele & Cie. KG
Carl-Miele-Straße 29
33332 Gütersloh
Tel. 0 180 220 21 21 (6 ct)*
Telefax 0 800 225 57 55
*Only in Germany

GREAT BRITAIN
Miele Co. Ltd.
Fairacres
Marcham Road, Abingdon
Oxon OX14 1TW
Tel. 0845 330 3618
Telefax 01235 405636

GREECE
Miele Hellas E.P.E.
Mesogion 257
154 51 N. Psychiko-Athens
Tel. national 01/10 6 79 44 44
international 00 30/2/10 6 79 44 44
Telefax 01/10 6 79 42 09
international 00 30/2/10 6 79 42 09

HUNGARY
Miele Kft.
Alsó Törökvesz út 2.
1022 Budapest
Tel. +36 1 8806-400
Telefax +36 1 8006-402

HONG KONG
Miele (Hong Kong) Ltd.
41/F - 4101, Manhattan Place
23 Wang Tai Road,
Kowloon Bay
Tel. +852/2610 1331
Telefax +852/2610 1013

INDIA
Miele India Pvt. Ltd.
Ground Floor,
Copia Corporate Suites,
Plot No. 9, Jasola,
New Delhi - 110025
Tel. +91 (0)11 469000-00
Telefax +91 (0)11 469000-01

IRELAND
Miele Ireland Ltd.
2024 Bianconi Avenue
Citywest Business Campus
Dublin 24
Tel. +3531 461 07 10
Telefax +3531 461 07-97

ITALY
Miele Italia S.r.l.
Strada di Circonvallazione, 27
39057 S. Michele-Appiano (BZ)
Tel. +39 04 71/66 61 11
Telefax +39 04 71/66 63 50

JAPAN
Miele Japan Corp.
Meguro Yamate Place 9F
2-10-11 Meguro
Meguro-ku, Tokyo
153-0063 Japan
Tel. +81(3)5740-0034
Telefax +81(3)5740-0035

KAZAKHSTAN
Miele LLP
Building 1B (office 602)
Al-Farabi Pr. 13
050059 Almaty
Tel. +7 727 3111141
Telefax +7 727 3111042

KOREA
Miele Korea Limited
Miele House 8 fl.,
607-10 Yeoksam-dong
Gangnam-gu
Seoul 135-080
Tel. +82 2 3451 9353
Telefax +82 2 3451 9399

LATVIA
Miele SIA
Zaubes Str. 9A-38
1013 Riga
Tel. +371 67889877
Telefax +371 67889879

LITHUANIA
Miele Appliances UAB
S. Zukauskos g. 2/3-116
08240 Vilnius
Tel. +370 52487529
Telefax +370 52487529

LUXEMBOURG
Miele s.à r.l.
20, Rue Christophe Plantin
2339 Luxembourg
Tel. +352/4 97 11-25
Telefax +352/4 97 11-39

MALAYSIA
Miele Sdn Bhd
Suite 12-2, Level 12
Menara Kencana Petroleum
Solaris Dutamas
No. 1, Jalan Dutamas 1
Kuala Lumpur 50480
Tel. +603 6205 3899
Telefax +603 6205 3998

MEXICO
Miele S.A. de C.V.
Av. Santa Fé 170
German Centre 0-4-2
Col. Lomas de Santa Fé
C.P. 01210 México, D.F.
Tel. +52/55 85 03 98 70
Telefax +52/55 85 03 98 74

NETHERLANDS
Miele Nederland B.V.
De Limiet 2
4131 NR Vianen
Tel. +31 3 47/37 88 83
Telefax +31 3 47/37 84 29

NEW ZEALAND
Miele New Zealand Ltd.
Unit L, 10-20 Sylvia Park Road
Mt. Wellington, 1060 Auckland
Tel. +64 9573 1269
Telefax +64 9573 1268

NORWAY
Miele AS
Loxaveien 13
1351 Rud
Tel. +47/67 17 31 00
Telefax +47/67 17 31 10

POLAND
Miele Sp. z. o. o.
ul. Gotarda 9
02-683 Warszawa
Tel. +48 22/5 48 40 00
Telefax +48 22/5 48 40 10

PORTUGAL
Miele Portuguesa, Lda.
Av. do Forte, 5
2790-073 Camaxide
Tel. +351/21/42 48-100
Telefax +351/21/42 48-109

ROMANIA
Miele Appliances SRL
Intrarea Narciselor 8
Otopeni
Jud. Ilfov
Tel. +40 21 3520777
Telefax +40 21 3520776

RUSSIA
000 Miele CIS
Leningradsky Prospekt, 31A, bld. 1
125284 Moscow
Tel. +7 495 745-8992
Telefax +7 495 745-8680

SERBIA
Miele d.o.o. Beograd
Balkanska 2
Beograd - Stari Grad 11000
Tel. +381 11 2055060
Telefax +381 11 2055065

SINGAPORE
Miele Pte. Ltd.
163 Penang Road
#04-02/03 Winsland House II
Singapore 238463
Tel. +65/67 35 11 91
Telefax +65/67 35 11 61

SLOVAKIA
Miele s. r. o.
Plynárenská 1
82109 Bratislava
Tel. +421/2/58 10 31 11
Telefax +421/2/58 10 31 19

SLOVENIA
Miele d.o.o.
Brncičeva ulica 41 g
1231 Ljubljana - Črnuče
Tel. +386 1563 44-80
Telefax +386 1563 44-90

SOUTH AFRICA
Miele (Pty) Ltd.
63 Peter Place
Bryanston 2194
Tel. +27(0)11/875-9000
Telefax +27(0)11/875-9035

SPAIN
Miele S.A.U.
Carretera de Fuencarral, 20
28108 Alcobendas (Madrid)
Tel. +34/91/6 23 20 00
Telefax +34/91/6 62 02 66

SWEDEN
Miele AB
Industrivägen 20
Box 1397
171 27 Solna
Tel. +46 85 62 29-000
Telefax +46 85 62 29-209

SWITZERLAND
Miele AG
Limmatstr. 4
8957 Spreitenbach
Tel. +4156 4 17 20 00
Telefax +4156 4 17-24 69

TURKEY
Miele Elektrikli Aletler
Diş. Tic. ve Paz. Ltd. Şti.
Güvercin Sokak No. 10
34330 Levent-Istanbul
Tel. +90/2 12/3 86-08 00
Telefax +90/2 12/3 25 84 49

UKRAINE
Miele LLC
Zhylyanskaya Str. 48, 50 A
01033 Kiev
Tel. +38 044 4960300
Telefax +38 044 4942285

UNITED ARAB EMIRATES
Miele Appliances Ltd.
Gold & Diamond Park
Sheikh Zayed Road
Building No. 6,
Offices No. 219
Dubai
Tel. +971 4 3418444
Telefax +971 4 3418852

USA
Miele, Inc.
9 Independence Way
Princeton, NJ 08540
Tel. 001-800/843 72 31
Telefax 001-609/419 42 41

OTHER COUNTRIES:
Sales International
Miele & Cie. KG
Carl-Miele-Straße 29
33332 Gütersloh
Tel. +49(0)52 41-89 15 07
Telefax +49(0)52 41-89 15 00